


Curved Bench

24 - 04 - 13



Dimensions

Length: Width: Height: Volume: Materials
custom size possible 600 mm 910 mm
custom size possible



Materials

Steel: Acid-resistant steel 304 ground
Acid-resistant steel 304 powder coated according to the RAL palette
Acid-resistant steel 316
Hot-dip galvanised and powder-coated steel (Qualisteelcoat certificate) according to the RAL palette
Corten steel (the material may stain the paved/concrete substrate in the first 2 years of operation)
Wood: IROKO exotic wood oiled with or without dye
Varnished hardwood (e.g. domestic oak, exotic oak TAUARI, LATI or other hardwoods) – only for interior




24 - 04 - 13
CURVED BENCH

Painting of acid-resistant steel according to the RAL palette

Designer: Mariusz Puczyński

Available installation methods Concrete foundation Screwed into ground. Free-standing



Steel: Wood: Additional features Grinded stainless steel 304 Stainless steel 304, powder coated according to RAL colour standard Grinded stainless steel 316 Hot-dip galvanized steel, powder coated (Qualisteelcoat certificate) according to RAL colour standard Corten steel Exotic IROKO wood finished with colored/colorless oil Hard, varnished wood (eg. Brazilian oak or exotic TAUARI/LATI or similar hard wood) - only indoors
Stainless steel powder coating